

数学假期作业（1）

一、口算练习

$26+9=$	$57-38=$	$1500-700=$	$42\times 2=$	$99\div 3=$
$770\div 7=$	$660\div 3=$	$960\div 3=$	$180\div 9=$	$65+15=$
$660\div 6=$	$800\times 2=$	$50\div 5=$	$3\times 800=$	$420\div 7=$
$3\times 220=$	$480\div 4=$	$58+33=$	$420-20=$	$93\div 3=$
$880\div 4=$	$1200-200=$	$11\times 7=$	$80-46=$	$0\div 51=$
$0\div 76=$	$2\times 85=$	$70\div 7=$	$14\times 2=$	$5\times 900=$

二、竖式计算

$$24\times 11= \quad 43\times 26= \quad 25\times 22= \quad 36\times 34=$$

$$35\times 13= \quad 57\times 18= \quad 76\times 14= \quad 38\times 18=$$

三、脱式计算

$$240\times 2\div 6 \quad 300-129\div 3 \quad 128+18\times 6$$

$$312\times (300-296) \quad (128+132)\div 5$$

数学假期作业（2）

一、口算练习

$2 \times 200 =$	$84 \div 4 =$	$0 \div 91 =$	$930 \div 3 =$	$390 \div 3 =$
$0 + 22 =$	$83 - 57 =$	$29 + 68 =$	$68 - 49 =$	$80 \times 7 =$
$800 \div 4 =$	$330 \div 3 =$	$3 \times 23 =$	$64 \div 2 =$	$58 + 26 =$
$34 \times 2 =$	$550 \div 5 =$	$800 \times 8 =$	$420 \div 2 =$	$63 \div 3 =$
$160 \div 4 =$	$800 + 700 =$	$690 \div 3 =$	$58 - 0 =$	$2 \times 440 =$
$8 \div 2 =$	$480 \div 2 =$	$60 \times 5 =$	$2 \times 44 =$	$840 \div 4 =$

二、竖式计算

$$36 \times 43 = \quad 53 \times 18 = \quad 19 \times 23 = \quad 28 \times 32 =$$

$$65 \times 15 = \quad 69 \times 12 = \quad 77 \times 17 = \quad 34 \times 49 =$$

三、脱式计算

$$840 \div 4 \times 3 \quad 36 \times 30 + 129 \quad 25 \times 12 \div 6$$

$$864 - 12 \times 24 \quad 15 \times 8 \times 7$$

数学假期作业（3）

一、口算练习

$440 \div 4 =$	$32 \times 3 =$	$48 \div 4 =$	$540 \div 9 =$	$90 \div 9 =$
$13 \times 3 =$	$600 \times 7 =$	$120 \times 3 =$	$480 \div 2 =$	$39 \div 3 =$
$560 \div 8 =$	$990 \div 3 =$	$3 \times 200 =$	$620 \div 2 =$	$660 \div 2 =$
$640 \div 8 =$	$880 \div 4 =$	$7500 - 500 =$	$0 \div 91 =$	$12 \times 4 =$
$3 \times 31 =$	$0 \times 57 =$	$120 \times 4 =$	$2 \times 97 =$	$360 \div 9 =$
$44 \times 2 =$	$960 \div 3 =$	$32 \times 2 =$	$2 \times 440 =$	$460 \div 2 =$

二、竖式计算

$$74 \times 14 = \quad 37 \times 18 = \quad 42 \times 28 = \quad 38 \times 25 =$$

$$328 \div 4 = \quad 215 \div 5 = \quad 432 \div 6 = \quad 872 \div 8 =$$

三、脱式计算

$$78 + 14 \times 6 \quad 540 \div 9 \div 6 \quad 320 + 16 \times 27$$

$$25 \times 24 + 125 \quad 23 \times 44 - 58$$

数学假期作业（4）

一、口算练习

$70+500=$

$3\times 33=$

$280\div 4=$

$9\times 400=$

$3\times 330=$

$690\div 3=$

$49+33=$

$700\div 7=$

$23\times 3=$

$78-36=$

$11\times 4=$

$230\times 3=$

$310\times 3=$

$390\div 3=$

$230\times 3=$

$11\times 4=$

$82-55=$

$310\times 3=$

$720\div 9=$

$4700-700=$

$600\div 3=$

$48+28=$

$640\div 8=$

$480\div 8=$

$7\times 50=$

$10\times 89=$

$69\times 10=$

$13\times 30=$

$23\times 30=$

$4\times 90=$

二、竖式计算

$386+479=$

$321\times 12=$

$125\times 23=$

$18\times 250=$

$52\times 49=$

$34\times 54=$

$106\times 51=$

$48\times 34=$

三、脱式计算

$1500-125\times 8$

$(25+38)\times 15$

$(62+12)\times 38$

$(48+52)\div 2$

$(59+187)\div 3$

数学假期作业 (5)

一、口算练习

$60 \times 60 =$	$60 \times 40 =$	$90 \times 30 =$	$21 \times 40 =$	$30 \times 20 =$
$40 \times 90 =$	$2 \times 31 =$	$33 \times 20 =$	$40 \times 70 =$	$48 + 19 =$
$70 \times 6 =$	$4 \times 900 =$	$2 \times 310 =$	$20 + 35 =$	$45 + 35 =$
$32 \times 20 =$	$70 \times 60 =$	$84 \times 1 =$	$900 \times 6 =$	$34 \times 20 =$
$33 \times 30 =$	$31 \times 20 =$	$700 \times 6 =$	$84 \times 10 =$	$9 \times 800 =$
$70 \times 30 =$	$2 \times 42 =$	$86 - 47 =$	$5 \times 90 =$	$22 \times 30 =$

二、竖式计算

$$78 \times 22 = \quad 416 \div 4 = \quad 823 \div 8 = \quad 63 \times 43 =$$

$$367 \div 4 = \quad 795 \div 5 = \quad 2 \times 53 = \quad 79 \times 97 =$$

三、脱式计算

$$(12+20) \times 45$$

$$7 \times 8 \times 32$$

$$22+12 \times 20$$

$$(48-12) \div 6$$

$$128+12 \times 15$$

数学假期作业 (6)

一、口算练习

$690 \div 3 =$	$49 + 33 =$	$770 \div 7 =$	$23 \times 3 =$	$78 - 36 =$
$11 \times 4 =$	$230 \times 3 =$	$310 \times 3 =$	$390 \div 3 =$	$230 \times 3 =$
$16 \times 4 =$	$82 - 55 =$	$310 \times 3 =$	$720 \div 9 =$	$4700 - 700 =$
$600 \div 3 =$	$48 + 28 =$	$640 \div 8 =$	$480 \div 8 =$	$7 \times 50 =$
$10 \times 89 =$	$69 \times 10 =$	$13 \times 30 =$	$23 \times 30 =$	$4 \times 90 =$
$60 \times 60 =$	$60 \times 40 =$	$90 \times 30 =$	$21 \times 40 =$	$30 \times 20 =$

二、竖式计算

$$370 \div 7 = \quad 784 - 685 = \quad 76 \times 15 = \quad 486 \div 2 =$$

$$607 \div 5 = \quad 900 - 807 = \quad 915 \div 3 = \quad 560 \div 4 =$$

三、脱式计算

$$45 \times 20 + 100 \quad (28 + 12) \times 30 \quad 28 + 12 \times 30$$

$$30 \times 23 - 60 \quad 200 - 15 \times 10$$

数学假期作业（7）

一、口算练习

$40 \times 90 =$	$2 \times 31 =$	$33 \times 20 =$	$40 \times 70 =$	$48 + 19 =$
$70 \times 6 =$	$4 \times 900 =$	$2 \times 310 =$	$20 + 35 =$	$45 + 35 =$
$32 \times 20 =$	$70 \times 60 =$	$84 \times 1 =$	$900 \times 6 =$	$34 \times 20 =$
$33 \times 30 =$	$31 \times 20 =$	$700 \times 6 =$	$84 \times 10 =$	$9 \times 800 =$
$70 \times 30 =$	$2 \times 42 =$	$86 - 47 =$	$5 \times 90 =$	$22 \times 30 =$
$6 \times 500 =$	$8 \times 70 =$	$42 \times 20 =$	$400 + 300 =$	$5 \times 900 =$

二、竖式计算

$$87 \times 19 = \quad 362 \div 6 = \quad 525 \div 3 = \quad 254 \div 5 =$$

$$192 \div 4 = \quad 602 \div 7 = \quad 839 \div 9 = \quad 726 \div 6 =$$

三、脱式计算

$$25 + 32 \times 23 \quad 52 + 18 \times 12 \quad 65 + 11 \times 12$$

$$17 + 34 \times 19 \quad 37 + 16 \times 28$$

数学假期作业（8）

一、口算练习

$10 \times 33 =$	$22 \times 0 =$	$80 \times 70 =$	$200 \times 4 =$	$0 \div 20 =$
$6 \times 60 =$	$22 \times 40 =$	$44 + 20 =$	$40 \times 40 =$	$43 \times 20 =$
$46 + 37 =$	$606 \div 6 =$	$300 \div 6 =$	$40 \times 11 =$	$360 \div 9 =$
$10 \times 34 =$	$40 \times 90 =$	$90 \times 60 =$	$490 \div 7 =$	$20 \times 34 =$
$300 \times 3 =$	$80 \times 4 =$	$65 \times 0 =$	$330 \div 3 =$	$205 \div 5 =$
$680 - 80 =$	$21 \times 40 =$	$80 \times 40 =$	$10 \times 37 =$	$20 \times 50 =$

二、竖式计算

$39 \times 42 =$

$168 \div 8 =$

$370 \div 5 =$

$810 \div 9 =$

$640 \div 7 =$

$19 \times 64 =$

$470 \div 9 =$

$312 \div 7 =$

三、脱式计算

$61 + 12 \times 23$

$43 + 21 \times 23$

$48 + 52 \times 21$

$45 + 32 \times 55$

$87 + 35 \times 49$

数学假期作业 (9)

一、口算练习

$2000+300=$	$880\div 2=$	$70\times 20=$	$400\div 4=$	$6\times 66=$
$50\times 30=$	$640\div 8=$	$408\div 4=$	$400+300=$	$34+39=$
$360\div 6=$	$99\times 10=$	$12\times 20=$	$30\times 80=$	$41\times 20=$
$97\times 10=$	$700\div 7=$	$33\times 30=$	$0\div 59=$	$11\times 80=$
$200\div 4=$	$31\times 20=$	$600+90=$	$4700-700=$	$44-37=$
$40\times 12=$	$84-47=$	$630\div 7=$	$71-23=$	$0\div 43=$

二、竖式计算

$$660\div 5= \quad 804\div 7= \quad 462\div 3= \quad 55\times 18=$$

$$780\div 4= \quad 729\div 9= \quad 624\div 6= \quad 75\times 26=$$

三、脱式计算

$$99+46\times 97 \quad 44+81\times 33 \quad 31+98\times 76$$

$$38+53\times 47 \quad 67+81\times 90$$

一、口算练习

$\times 30 =$	$21 \times 30 =$	$43 \times 2 =$	$67 \times 2 =$	$75 + 18 =$
$23 + 48 =$	$90 \times 30 =$	$30 \times 12 =$	$46 + 24 =$	$80 \div 7 =$
$42 \times 20 =$	$100 \div 5 =$	$10 \times 50 =$	$350 \div 5 =$	$52 - 29 =$
$240 \times 2 =$	$52 + 39 =$	$400 \div 8 =$	$480 \div 8 =$	$33 \times 30 =$
$50 \times 5 =$	$800 \times 3 =$	$60 \times 50 =$	$410 \times 2 =$	$41 \times 20 =$
$310 \times 3 =$	$20 \times 23 =$	$440 \div 4 =$	$30 \times 32 =$	$10 \times 35 =$

二、竖式计算

$\times 76 =$

$18 \times 11 =$

$51 \times 87 =$

$72 \times 44 =$

$55 \times 67 =$

$769 \div 8 =$

$58 \times 86 =$

$67 \times 22 =$

三、脱式计算

$(25 + 38) \times 15$

$(59 + 187) \div 3$

$1500 - 125 \times 8$

$25 \times 8 \times 9$

$(601 - 246) \div 5$

一、口算练习

$\times 10 =$	$4.8 - 2.3 =$	$510 \div 3 =$	$17 \times 40 =$	$43 + 26 =$
$2.7 + 0.6 =$	$780 \div 3 =$	$3.6 + 1.2 =$	$160 \div 8 =$	$8300 - 300 =$
$90 \div 5 =$	$1.7 - 0.8 =$	$34 \times 10 =$	$2.5 + 5.8 =$	$20 \times 9 =$
$13 \times 70 =$	$26 \times 20 =$	$9.8 - 9.5 =$	$70 \times 14 =$	$80 \times 90 =$
$650 \div 5 =$	$18 \times 30 =$	$31 \times 10 =$	$960 \div 8 =$	$290 + 40 =$
$900 \div 5 =$	$210 \div 3 =$	$54 + 48 =$	$6000 \div 6 =$	$660 \div 2 =$

二、竖式计算

$\times 70 =$

$38 \times 16 =$

$54 \times 86 =$

$208 \div 8 =$

$58 \times 37 =$

$769 \div 8 =$

$58 \times 86 =$

$654 \div 6 =$

三、脱式计算

$(24 + 38) \times 18$

$(659 - 187) \div 3$

$1320 - 25 \times 8$

$25 + 8 \times 9$

$601 - 246 \div 6$

一、口算练习

$\div 7 =$	$40 \times 50 =$	$630 \div 7 =$	$36 + 17 =$	$12 \times 60 =$
$4.6 + 3.2 =$	$26 \times 30 =$	$8.2 + 2.4 =$	$22 \times 40 =$	$61 \times 40 =$
$75 \div 5 =$	$75 \div 3 =$	$30 \times 18 =$	$70 \times 60 =$	$42 \times 200 =$
$39 - 24 =$	$90 \times 20 =$	$60 \times 30 =$	$9.7 - 6.2 =$	$40 \div 4 =$
$8.6 - 5.5 =$	$90 \times 30 =$	$770 \div 7 =$	$140 \div 7 =$	$240 \div 4 =$
$2.2 + 0.3 =$	$77 \times 2 =$	$21 \times 50 =$	$0.2 + 1.9 =$	$30 \times 30 =$

二、竖式计算

$$59 \times 22 = \quad 43 \times 46 = \quad 56 \times 39 = \quad 23 \times 14 =$$

$$959 \div 9 = \quad 481 \div 6 = \quad 604 \div 4 = \quad 7.5 + 2.6 =$$

三、脱式计算

$$576 \div 3 \div 4 \quad 81 \times 7 \div 9 \quad 201 + 232 - 365$$

$$138 + 33 \times 47$$

$$399 \div 7 + 294$$

一、口算练习

$\times 50 =$	$51 \div 3 =$	$69 \div 3 =$	$20 \times 70 =$	$13 \times 60 =$
$390 \div 3 =$	$1.6 - 0.8 =$	$500 \div 5 =$	$60 \times 40 =$	$500 \div 5 =$
$28 \div 7 =$	$5.8 - 0.4 =$	$25 \times 40 =$	$1.3 + 0.5 =$	$78 \div 2 =$
$31 \times 40 =$	$0 \times 412 =$	$3.4 - 2.8 =$	$770 \div 7 =$	$1.9 - 0.7 =$
$25 \times 40 =$	$211 + 506 =$	$280 \div 2 =$	$3.6 + 4.3 =$	$15 \times 10 =$
$11 \times 800 =$	$32 \times 30 =$	$8.9 + 0.5 =$	$900 \div 5 =$	$25 \times 9 =$

二、竖式计算

$78 \times 82 =$

$24 \times 36 =$

$27 \times 14 =$

$15 \times 62 =$

$654 \div 6 =$

$486 \div 6 =$

$432 \div 4 =$

$7.5 - 2.6 =$

三、脱式计算

$32 \times 21 - 29$

$48 \div 8 + 16$

$32 + (76 - 45)$

$138 + 33 \times 47$

$294 + 399 \div 7$

一、口算练习

	$0 \times 97 =$	$1600 - 700 =$	$48 \times 20 =$	$60 \times 70 =$
$870 - 50 =$	$19 \times 40 =$	$60 \times 5 =$	$90 \times 60 =$	$140 \div 7 =$
$320 \div 8 =$	$270 \div 3 =$	$850 + 50 =$	$17 \times 30 =$	$600 - 240 =$
$980 \div 2 =$	$760 \div 4 =$	$2700 \div 3 =$	$15 \times 4 =$	$0.4 + 0.7 =$
$64 \div 4 =$	$72 \times 100 =$	$2.5 + 3.3 =$	$2.5 - 0.9 =$	$12 \times 20 =$
$25 \times 30 =$	$64 \div 8 =$	$72 \div 4 =$	$6.8 - 5.2 =$	$600 \div 4 =$

二、竖式计算

$386 + 479 =$

$321 \times 9 =$

$25 \times 23 =$

$18 \times 250 =$

$920 \div 8 =$

$720 \div 3 =$

$204 \times 3 =$

$238 + 647 =$

三、脱式计算

$\times 8$

$23 \times 6 \times 7$

$9 \times 5 \times 24$

$672 \div (2 \times 3)$

$(601 - 246) \div 5$

一、口算练习

	$46 \times 20 =$	$13 \times 80 =$	$180 \div 2 =$	$250 \div 5 =$
$85 \div 5 =$	$90 \times 50 =$	$810 \div 9 =$	$540 \div 9 =$	$120 \div 6 =$
$87 \div 3 =$	$2.4 + 3.2 =$	$23 \times 40 =$	$240 \div 6 =$	$60 \times 60 =$
$28 \times 20 =$	$0 \div 8 =$	$72 \div 4 =$	$450 \div 9 =$	$420 + 20 =$
$9900 - 900 =$	$3.1 - 2.1 =$	$19 \times 50 =$	$900 \div 5 =$	$480 \div 4 =$
$840 \div 3 =$	$35 \times 4 =$	$56 + 29 =$	$480 \div 2 =$	$250 \div 5 =$

二、竖式计算

$$78 \times 22 = \quad 416 \div 5 = \quad 823 \div 8 = \quad 63 \times 43 =$$

$$437 \div 4 = \quad 525 \div 5 = \quad 12 \times 53 = \quad 79 \times 97 =$$

三、脱式计算

$$78 \times 21 - 531 \quad 352 \div 8 \div 4 \quad 58 \div 2 \times 16$$

$$21 \times 14 \div 7 \quad 128 + 12 \times 15$$

以上内容仅为本文档的试下载部分，为可阅读页数的一半内容。如要下载或阅读全文，请访问：<https://d.book118.com/045300140010011334>