

附录 2

新华书店进销存管理系统部分程序源代码

1、 主程序 MAIN. PRG 程序代码

毕业设计

```
PUBLIC nkfg1, nxsg1, ncgg1, nkcg1, nxtgl  
STORE . f. TO nkfg1, nxsg1, ncgg1, nkcg1, nxtgl  
  
PUBLIC nname, ndepartment
```

```
Do Form loginf  
Read Events  
Do Form main  
Read Events  
Quit
```

2、 主表单 MAIN. SCX 代码

2.1 表单 Init 过程程序代码

```
do mmenu.mpr with this,.T.  
this.label2.caption = nname  
this.label4.caption = ndepartment
```

3、 系统登入表单 LOGINF. SCX 代码

3.1 表单登入按钮 Click 事件程序代码

```
SELECT user
GO TOP
*检查用户名和密码是否输入
If empty(thisform. text1. value) then
    请输入用户名
    return
else
    if empty(thisform. text2. value) then
        请输入密码
        return
    endif
endif
*操作 USER 表，查询满足条件记录
locate for name = alltrim(thisform. text1. value)
if !found()
    用户不存在
    return
else
    if user. password != alltrim(thisform. text2. value) then
        密码错误
        return
    endif
endif
nname = user. name
ndepartment = user. department
nkfgl = user. kfgl
nxsgl = user. xsgl
ncggl = user. cggl
nkcg1 = user. kcgl
nxtgl = user. xtgl
thisform. release
clear events
```

4、 系统管理表单 XTGLF. SCX 代码

4.1 表单 Init 过程程序代码

```
thisform.text1.enabled = .f.  
thisform.text2.enabled = .f.  
thisform.text3.enabled = .f.  
thisformxbol.enabled = .f.  
thisform.check1.enabled = .f.  
thisform.check2.enabled = .f.  
thisform.check3.enabled = .f.  
thisform.check4.enabled = .f.  
thisform.check5.enabled = .f.  
thisform.label5.visible = .f.  
thisform.text3.visible = .f.  
thisformxmand10.enabled = .f.  
thisformxmand11.enabled = .f.  
thisform.dis_record  
thisform.dis_reccommand
```

4.2 表单自定义过程 DIS_RECORD 程序代码

```
PUBLIC newcommand  
STORE .f. TO newcommand
```

```
thisform.check1.value = 0  
thisform.check2.value = 0  
thisform.check3.value = 0  
thisform.check4.value = 0  
thisform.check5.value = 0  
else  
thisform.text1.value = user.name  
thisform.text2.value = user.password
```

```

thisformxb01.value = user.department
if user.kfg1 then
    thisform.check1.value = 1
else
    thisform.check1.value = 0
endif
if user.xsg1 then
    thisform.check2.value = 1
else
    thisform.check2.value = 0
endif
if user.cgg1 then
    thisform.check3.value = 1
else
    thisform.check3.value = 0
endif
if user.kcg1 then
    thisform.check4.value = 1
else
    thisform.check4.value = 0
endif
if user.xtg1 then
    thisform.check5.value = 1
else
    thisform.check5.value = 0
endif
endif
thisform.refresh

```

4.3 表单自定义过程 DIS_RECOMMAND 程序代码

```

private n
store 0 to n

if n=1 .or. n=0 then
    thisformxmand1.enabled = .f.
    thisformxmand2.enabled = .f.

```

```

thisformxmand3.enabled = .f.
thisformxmand4.enabled = .f.
else

    thisformxmand1.enabled = .f.
    thisformxmand2.enabled = .f.
    thisformxmand3.enabled = .t.
    thisformxmand4.enabled = .t.

    else

        thisformxmand1.enabled = .t.
        thisformxmand2.enabled = .t.
        thisformxmand3.enabled = .f.
        thisformxmand4.enabled = .f.

        else

            thisformxmand1.enabled = .t.
            thisformxmand2.enabled = .t.
            thisformxmand3.enabled = .t.
            thisformxmand4.enabled = .t.

        endif
    endif
endif
thisform.refresh

```

4.4 表单保存按钮 Click 事件程序代码

```

if empty(thisform.text1.value) then
    请输入用户名          出错
    thisform.text1.setfocus
    thisform.refresh
    return
endif
if empty(thisform.text2.value) then
    请输入密码          出错
    thisform.text2.setfocus
    thisform.refresh
    return

```

以上内容仅为本文档的试下载部分，为可阅读页数的一半内容。如要下载或阅读全文，请访问：[https://d.book118.com/10807101705
2006102](https://d.book118.com/108071017052006102)