


The background features a dense arrangement of green leaves and vines. The leaves are primarily four-lobed, resembling clovers, in various shades of green from light to dark. The vines are thin and winding, some with small circular motifs. The overall composition is organic and vibrant, set against a plain white background.

鼻腔填塞病人的健康 指导

概念






鼻腔填塞是通过填塞物直接压迫鼻腔出血部位的小血管使血管闭塞而达到止血目的的治疗方法，是耳鼻喉鼻腔手术后的常用方法。

鼻腔填塞的方法




前鼻孔填塞法

后鼻孔填塞法






前鼻孔填塞法



后鼻孔填塞法



鼻腔填塞材料

传统的鼻腔填塞材料

- 纱条（油纱条、碘仿纱条）

鼻腔填塞材料的改进

- 明胶海绵
- 膨胀海绵
- 止血纱布
- 藻酸钙




鼻腔填塞常见的不适

- 口干、口渴
- 恶心、呕吐
- 疼痛
- 焦虑、紧张
- 咽部不适
- 排泪异常
- 呼吸及吞咽困难



口干、口渴



鼻腔填塞术后患者鼻腔的呼吸通道改由口呼吸，而口腔缺少鼻腔的湿度、温度调节功能，致使吸入空气带走患者口腔大量分泌液体。患者害怕出血，不敢进食，大量出血后致全身血容量减少，低热、高代谢等。

恶心、呕吐



患者把大量鼻咽部流下的血液咽下，刺激胃黏膜引起恶心、呕吐，或由于纱条没填好，一部分从鼻咽部坠下，引起恶心不断。

疼痛



疼痛来自3个方面：

- 手术和压迫引起的局部疼痛；
- 通气不畅以及局部压迫反射性引起的头痛；
- 张口呼吸引起的咽干疼痛。

疼痛常给患者带来难以忍受的痛苦，影响其生理节奏。

排泪异常

鼻泪管受压导致泪液引流不畅，表现为患者的泪水间歇性从眼内溢出，严重时眼球结膜睑结膜充血畏光，



呼吸及吞咽困难

因单侧或双侧鼻腔填塞后，阻碍通气功能或因软腭及舌根下坠，呼吸道变窄，二氧化碳潴留所致。

以上内容仅为本文档的试下载部分，为可阅读页数的一半内容。如要下载或阅读全文，请访问：<https://d.book118.com/126122243053010215>