


经皮冠状动脉介入治疗PCI 个案护理课件





contents

目录

- PCI手术简介
- PCI手术过程
- PCI手术并发症及处理
- PCI手术成功案例分享
- PCI手术护理人员培训
- PCI手术患者健康教育

The background features a soft gradient from light purple to light blue. Several 3D-style rings with a rainbow-like iridescent finish are scattered across the scene. In the center, a white square with a thin black border contains the number '01'. Two thin black lines extend from the corners of this square towards the left and right edges of the frame.

01

PCI手术简介



PCI手术定义



PCI手术即经皮冠状动脉介入治疗，是一种非外科手术的冠心病治疗方法，通过心导管技术疏通狭窄甚至闭塞的冠状动脉管腔，从而改善心肌的血流灌注。

PCI手术主要包括球囊扩张、支架植入和旋磨等技术。





PCI手术历史与发展



01

PCI手术最早可追溯到20世纪70年代，经过多年的技术改进和临床实践，已成为治疗冠心病的主要手段之一。



02

PCI手术经历了从简单的球囊扩张到支架植入，再到药物洗脱支架、生物可降解支架等技术的不断升级和改进。

PCI手术适应症与禁忌症



PCI手术适应症

急性心肌梗死、不稳定型心绞痛、稳定型心绞痛、部分心律失常等。



PCI手术禁忌症

严重出血倾向、主动脉夹层、严重心肺功能不全、无法纠正的电解质紊乱等。


The background features a soft gradient from light purple to light blue. Several 3D-style rings with a rainbow-like iridescent sheen are scattered across the scene. In the center, a white square with a thin black border contains the number '02'. Two thin black lines extend from the top-left and top-right corners of this square towards the left and right edges of the frame, respectively.

02

PCI手术过程




PCI手术前的准备



01

患者评估


对患者进行全面的身体评估，了解其身体状况、病情和预期效果。



02

心理准备

为患者提供心理辅导，减轻其焦虑和恐惧，增强治疗信心。



03

术前用药

根据医生指导，术前适当使用药物，如抗凝剂、抗生素等。



04

设备准备

确保手术所需设备齐全且功能正常，如导管、球囊、支架等。



PCI手术过程详解



导管插入

在X光引导下，将导管经皮穿刺送至冠状动脉开口。



球囊扩张

使用球囊扩张狭窄或阻塞的冠状动脉。



支架植入

在扩张后的冠状动脉内植入支架，支撑血管壁。



造影检查

手术过程中进行造影检查，确保治疗效果。

PCI手术后护理要点

伤口护理

观察穿刺部位有无出血、肿胀，保持伤口清洁干燥。



生活指导

指导患者术后生活注意事项，如饮食、运动等。




药物治疗

根据医生指导，按时服用药物，定期复查。

心理支持

为患者提供心理支持，帮助其适应术后生活。



03

PCI手术并发症及处理



PCI手术常见并发症

心肌梗死

PCI过程中可能出现血管破裂，导致心肌缺血或梗死。



心律失常

导管刺激可能导致心律失常，需及时处理。



出血和血肿

穿刺部位可能出现出血和血肿。



造影剂反应

部分患者对造影剂过敏，可能出现皮疹、呼吸急促等症状。





PCI手术并发症的预防与处理



术前评估

对患者的身体状况和药物使用情况进行全面评估，降低并发症风险。

术中监测

密切监测患者生命体征，及时发现并处理并发症。

术后护理

定期检查穿刺部位，观察是否有出血、血肿，及时处理。

药物治疗

根据需要使用抗凝、抗血小板等药物，预防血栓形成。

以上内容仅为本文档的试下载部分，为可阅读页数的一半内容。如要下载或阅读全文，请访问：
<https://d.book118.com/176204232030010124>