

例1 简单公式

$A := (\text{HIGH} - \text{OPEN}) - (\text{OPEN} - \text{LOW});$

$B := \text{SUM}(A, 0);$

例2 KDJ公式

- $RSV := (CLOSE - LLV(LOW, N)) / (HHV(HIGH, N) - LLV(LOW, N)) * 100;$
- $K := SMA(RSV, M1, 1), COLORWHITE;$
- $D := SMA(K, M2, 1), COLORYELLOW;$
- $J := 3 * K - 2 * D, COLORMAGENTA;$

例3 K线公式

- **TMP:=OPEN-CLOSE;**
- **DRAWLINE(TMP>0.00001,HIGH,TMP>0.00001,OPEN,COLORCYAN);**
- **DRAWLINE(TMP>0.00001,LOW,TMP>0.00001,CLOSE,COLORCYAN);**
- **DRAWLINE(TMP<-0.00001,HIGH,TMP<-0.00001,CLOSE,COLORRED);**
- **DRAWLINE(TMP<-0.00001,LOW,TMP<-0.00001,OPEN,COLORRED);**
- **DRAWLINE(ABS(TMP)<0.00001,LOW,ABS(TMP)<0.00001,OPEN,COLORWHITE);**
- **DRAWLINE(ABS(TMP)<0.00001,HIGH,ABS(TMP)<0.00001,OPEN,COLORWHITE);**
- **STICKLINE(TMP>0,OPEN,CLOSE,COLORCYAN,0);**
- **STICKLINE(TMP<=0,OPEN,CLOSE,COLORRED,1);**

例4 移动平均线

- **MA1:MA(CLOSE,N1),COLORRED;**
- **MA2:MA(CLOSE,N2),COLORYELLOW;**
- **MA3:MA(CLOSE,N3),COLORGREEN;**
- **MA4:MA(CLOSE,N4),COLORMAGENTA;**

组合应用

- **TMP:=OPEN-CLOSE;**
- **DRAWLINE(TMP>0.00001,HIGH,TMP>0.00001,OPEN,COLORCYAN);**
- **DRAWLINE(TMP>0.00001,LOW,TMP>0.00001,CLOSE,COLORCYAN);**
- **DRAWLINE(TMP<-0.00001,HIGH,TMP<-0.00001,CLOSE,COLORRED);**
- **DRAWLINE(TMP<-0.00001,LOW,TMP<-0.00001,OPEN,COLORRED);**
- **DRAWLINE(ABS(TMP)<0.00001,LOW,ABS(TMP)<0.00001,OPEN,COLOR WHITE);**
- **DRAWLINE(ABS(TMP)<0.00001,HIGH,ABS(TMP)<0.00001,OPEN,COLOR WHITE);**
- **STICKLINE(TMP>0,OPEN,CLOSE,COLORCYAN,0);**
- **STICKLINE(TMP<=0,OPEN,CLOSE,COLORRED,1);**
- **MA1:MA(CLOSE,N1),COLORRED;**
- **MA2:MA(CLOSE,N2),COLORYELLOW;**
- **MA3:MA(CLOSE,N3),COLORGREEN;**
- **MA4:MA(CLOSE,N4),COLORMAGENTA;**

以上内容仅为本文档的试下载部分，为可阅读页数的一半内容。如要下载或阅读全文，请访问：<https://d.book118.com/347100040024006113>