

物料名称	规格型号	单价
压块	KM-1630	5.415
压块	KM-2575	16.2525
插针	PPM-1020	3.885
盖板	KPM-547018	115
导轨	附图加工	128.205
球锁冲头	AJX10-19-60	28.21
外导柱	5-2518-83	30.77
外导套	NM25	47.01
耐磨块	附图加工	111.11
球锁冲头	AJX10-19-60	28.21
铰链	SHHPS5-3	80
凹模	DCBA16	81.6
下模入子	AHX22-A32-	31.625
氮气弹簧	X1000-50	658.2142857
氮气弹簧	X170-15	205.26
外导柱	5-5016-83	135.8975
外导套	NM50	158.12
内导柱	5-3213-83	50.4275
外导柱	5-2509-83	30.77
外导套	NM32	56.41
外导套	NM25	47.01
耐磨块	STW28-100	35.75
氮气弹簧	X170-38	218.3766667
耐磨块	STW28-75	29.25
球锁冲头	AJO16-19-70	61.54
球锁冲头	AJO13-19-90	52.14
球锁冲头	AJX13-19-70	29.91
球锁冲头	AJX13-19-90	29.915
吊环	CHP32	72.19625
下模入子	ADX20-S32-	18.805
下模入子	ADO22-S20-	95.73
聚氨脂卸料板	UPEM16-43	33.33
垫板组件	748595	73.5
聚氨脂卸料板	UPEM13-43	32.48
垫板组件	748587	73.5
黄色弹簧	10*30	1.793333333
黄色弹簧	8*50	2.308333333
黄色弹簧	8*20	1.53857143
低头螺丝	CBS10-20	3.9925
有牙销钉	5*10	1.02
圆线弹簧	5*300	0.97
止付螺丝	M12	0.73
止付螺丝	M10	0.66
氮气弹簧	TU750-25	636.98
氮气弹簧	X350-80	340.29
氮气弹簧	X500-75	510.05
氮气弹簧	X170-50	219.92
氮气法兰	C90-FA	104.27

氮气弹簧	X4200-80	1383.55
氮气弹簧	X1000-75	677.495
球锁冲头	AJX10-19-80	28.205
氮气弹簧	X500-19	479.96
球锁冲头	BJX16-19-10	97.44
氮气弹簧	R19-10	164.26
氮气弹簧	TU1500-6305	913.5
氮气弹簧	C.090.015	197.435
P20		10.68375574
P20		10.68376876
A3		6.8301066
A3		6.72807069
A3		6.69504348
P20		10.6837747
A3		6.69503715
A3		6.6950274
A3		6.69503268
D2		23.42
P20		10.68373134
A3		6.69503614
D2		23.42
P20		10.68404545
A3		6.49113684
D2		23.42
CR8		10.6
P20		10.68342857
D2		23.42
SKD11		18.2
D2		23.42
CR8		10.6
D2		23.42
CR8		10.6
45		6.81
45		6.49586207
P20		7.35
SKD11		18.21
50		3.93
SKD11		18.2
CR8		10.6
SKD11		18.21
CR8		10.59
45		6.49561404
SKD11		18.21
50		3.93
P20		10.68325
50		3.93
D2		23.42
A3		6.15382857
P20		10.55808743
45		6.49569892
50		3.93
无缝钢管	条	82.52
45		6.34

D2		23.42
50		3.93
50		3.93
D2		23.42
D2		23.42
P20		7.35
50		3.93
D2		23.42
D2		23.42
45		5.3
P20		7.35
45		5.3
CR8		10.6
50		3.93
50		3.93
CR8		10.6
D2		23.42
50		3.93
P20		7.35
DC53		28.71
P20		7.35
CR8		10.6
P20		7.35
D2		23.42
50		3.93
D2		23.42
D2		23.42
A3		6.15
D2		23.42
红铜		59.22222222
SKD11		18.21
D2		23.42
50		3.93
CR8		10.59
50		3.93
冲针	10*80	5.83
D2		23.42
下模入子	KDX87-112-P	36.75
耐磨块	附图加工	111.11
误检开关	BES-M12MI-	128.21
顶针	6*30	0.68
止付螺丝	M10	0.66
止付螺丝	M12	0.73
平衡块	BPM-3065	10.485
木箱	1720*1180*7	825.24
木箱	3130*1270*8	1407.77
木箱	1650*1276*7	582.52
木箱	2250*1440*1	1213.59
木箱	2300*1440*1	1213.59
压块	KM-1640	6.795
顶针	4*30	0.6775
氮气弹簧	U.1600.025	1033.335
下模入子	AHX22-S32-	31.62

以上内容仅为本文档的试下载部分，为可阅读页数的一半内容。如要下载或阅读全文，请访问：<https://d.book118.com/418072041011006063>